

**ProCar**

[www.procar.sg](http://www.procar.sg)



# CONTENTS



02 **ABOUT US**

**PASSENGER**

- 06 Procar Elite 2
- 08 Procar Elite 2+2
- 10 Procar Elite 4
- 12 Procar Elite 4 + 2
- 14 Procar Elite 6
- 16 Procar Elite 6 + 2
- 18 Procar Elite 14 Seater Bus

**UTILITY**

- 22 Procar Elite Cargo
- 24 Procar Elite 4 with Rear Box
- 26 Procar Elite Utility
- 28 Procar Elite Utility with Rear Cabinet
- 30 Procar Elite ESS

**SPECIAL**

- 34 Procar Elite Ambulance
- 36 Procar Elite RRS
- 38 Procar Elite Hi Lift

40 **TESTIMONIALS**

43 **CONTACT US**

# ABOUT US

## OVER 3 DECADES OF EXPERIENCE

With more than 35 years in providing our clients with superior products and services in the Golf Course, Hospitality, Industrial and Commercial industry under our belt, we have built upon this strength and experience to bring to you a diverse range of clean energy transportation vehicles that will give you the peace of mind that you so very well deserve.

## WELL BUILT VEHICLES

Our ProCar Electric Vehicles are built in strict accordance to ISO 9001 and CE standards. A Robust and Reliable system is what you get as our vehicles are solidly built with e-coated steel or high strength aluminium chassis, sealed connections and moisture proof components to ensure an entirely waterproof performance.


## USER FRIENDLY FEATURES

A slew of other user centric features such as LED lightings, maintenance-free batteries, mirrors, weather enclosures and built-in chargers are what makes the ProCar a dream to own and drive.

## AFTER SALES SERVICE & PARTS AVAILABILITY

Our Technical Service Team is well trained to provide you with nothing but the very best in After Sales Service. Got an issue? We will have it promptly solved so that your daily operations and life will go on smoothly without much delay. The same goes for our spare parts. Our parts inventory is always well stocked and is always one step ahead to ensure a smooth ride for all.





# PASSENGER

Our passenger buggies start from a 2 seater configuration to 8 seater configuration. We even have a 14 seater electric bus should you require to ferry a larger number of passengers within your compound. The 14 seater electric bus is well recommended for small group tours in a park, factory grounds or campuses.

Procar Elite 2

Procar Elite 2+2

Procar Elite 4

Procar Elite 4 + 2

Procar Elite 6

Procar Elite 6 + 2

Procar Elite 14 Seater Bus

# PROCAR ELITE 2

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax, 2 front facing
<b>Load Capacity</b>	300Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	2.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	1670mm
<b>Overall Dimension (L x W x H)</b>	2641mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear Sweater Basket, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 2+2

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	4 Pax, 2 front facing, 2 rear facing
<b>Load Capacity</b>	350Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	2.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	1670mm
<b>Overall Dimension (L x W x H)</b>	2921mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest. Rear seat unfolds into a utility flat bed.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 4

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	4 Pax, 4 front facing
<b>Load Capacity</b>	350Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	2490mm
<b>Overall Dimension (L x W x H)</b>	3175mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear Sweater Basket, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 4+2

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	6 Pax, 4 front facing, 2 rear facing
<b>Load Capacity</b>	500Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	2490mm
<b>Overall Dimension (L x W x H)</b>	3454mm x 1219mm x 1828mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest. Rear seat unfolds into a utility flat bed.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows



# PROCAR ELITE 6



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	6 Pax, 6 front facing
<b>Load Capacity</b>	500kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	50 – 70 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	5.1m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	3300mm
<b>Overall Dimension (L x W x H)</b>	3987mm x 1219mm x 1828mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	Lighting Package LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear Sweater Basket, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 6+2



### AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	8 Pax, 6 front facing, 2 rear facing
<b>Load Capacity</b>	650kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	50 – 70 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	5.1m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	3300mm
<b>Overall Dimension (L x W x H)</b>	4292mm x 1219mm x 1828mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest. Rear seat unfolds into a utility flat bed.
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear Sweater Basket, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 14 SEATER BUS



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	14 Pax
<b>Load Capacity</b>	1050 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	55 – 75 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	5m
<b>Motor</b>	10 HP AC Motor, 72 V
<b>Controller</b>	400A Curtis 1234E-5321 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	135mm
<hr/>	
<b>Wheelbase</b>	2700mm
<b>Overall Dimension (L x W x H)</b>	5050mm x 1480mm x 2300mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Poly Methyl Methacrylate (PMMA)
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	14" Steel Rims with 175/70R14 Tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Retractable Roll Down Curtain Type

# UTILITY

Need to carry a load? Things to consider are the overall load capacity and the dimension of the load that you are going to carry. Do you require a covered box or even a customised cabinet for holding specific items? Our buggies are rated with an overall load capacity of 360kg to 600kg.



Procar Elite Cargo

Procar Elite 4 with Rear Box

Procar Elite Utility

Procar Elite Utility with Rear Cabinet

Procar Elite ESS

# PROCAR ELITE CARGO

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax
<b>Load Capacity</b>	360 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	2.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	1670mm
<b>Overall Dimension (L x W x H)</b>	2921mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	800mm x 1100mm x 280mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE 4 WITH REAR BOX

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	4 Pax
<b>Load Capacity</b>	500kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	1670mm
<b>Overall Dimension (L x W x H)</b>	2921mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	800mm x 1100mm x 280mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE UTILITY

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax
<b>Load Capacity</b>	600 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	60 – 80 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.6m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1226A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	2310mm
<b>Overall Dimension (L x W x H)</b>	3400mm x 1150mm x 1750mm
<b>Aluminium Cargo Box Dimension</b>	1500mm + 1700mm x 1150mm x 1100mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE UTILITY WITH REAR CABINET

(ALSO AVAILABLE IN HIGH LIFT CONFIGURATION)



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax
<b>Load Capacity</b>	600 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	60 – 80 Km
<hr/>	
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.6m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1234E-5321 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<hr/>	
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<hr/>	
<b>Wheelbase</b>	2310mm
<b>Overall Dimension (L x W x H)</b>	3400mm x 1150mm x 1750mm
<b>Aluminium Cargo Box Dimension</b>	1500mm + 1700mm x 1150mm x 1100mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<hr/>	
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<hr/>	
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows



# PROCAR ELITE ESS



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax
<b>Load Capacity</b>	650kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	20%
<b>Max Range</b>	60 – 80 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	5.1m
<b>Motor</b>	6.8 HP AC Motor 48 V
<b>Controller</b>	350A Curtis 1234E-5321 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	3300mm
<b>Overall Dimension (L x W x H)</b>	4292mm x 1219mm x 1828mm
<b>Aluminium Cargo Box Dimension</b>	2185mm x 1097mm x 1425mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

## SPECIAL

When there is a unique requirement for a job to be done, the chance is that ProCar will have a buggy for that. The Ambulance and RRS (Roving Retail System) are just specially configured buggies designed to meet these requirements. Should you need a buggy to be customised, do give your local ProCar representative a call and they will have it sorted out for you.



Procar Elite Ambulance

Procar Elite RRS

Procar Elite Hi Lift

# PROCAR ELITE AMBULANCE



## AVAILABLE IN THESE COLOURS:

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

## SPECIFICATION

<b>Passenger Capacity</b>	1 Driver, 1 Paramedic, 1 Casualty
<b>Load Capacity</b>	360 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	70 – 90 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	2.9m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	6 Pieces, 8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	1670mm
<b>Overall Dimension (L x W x H)</b>	2921mm x 1219mm x 1727mm
<b>Aluminium Cargo Box Dimension</b>	N.A
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Plastic Seats
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	High Strength Aluminium Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE RRS

(ROVING RETAIL SYSTEM)



## AVAILABLE IN THESE COLOURS:



## SPECIFICATION

<b>Passenger Capacity</b>	2 Pax
<b>Load Capacity</b>	400 Kg
<b>Max Speed</b>	28 Km/Hr
<b>Climbing Capacity (Full Load)</b>	25% to 30%
<b>Max Range</b>	60 – 80 Km
<b>Charging Time</b>	8 to 10 hours
<b>Min Turning Radius</b>	3.6m
<b>Motor</b>	5 HP DC Motor Separately Excited 48 V
<b>Controller</b>	275A Curtis 1266A-5201 with regenerative braking
<b>Battery</b>	8 Volts Maintenance-Free Deep Cycle Gel Type
<b>Charger</b>	High Frequency Onboard Charger 48V/17A Regulator
<b>Transaxle</b>	Italian Graziano Axle, 1:12 Gear Ratio
<b>Steering System</b>	Self-Adjusting Rack & Pinion with Automatic Compensation Function
<b>Braking System</b>	Rear Mechanical
<b>Ground Clearance</b>	114mm
<b>Wheelbase</b>	2310mm
<b>Overall Dimension (L x W x H)</b>	3200mm x 1150mm x 1750mm
<b>Stainless Steel Cabinet Dimension</b>	1500mm x 1150mm x 1000mm
<b>Cooler Ice Box Dimension</b>	1050mm x 500mm x 460mm
<b>Windshield</b>	Acrylic, Folding or Non-Folding
<b>Seats</b>	Firm cushion with synthetic leather, Black or Beige with side armrest.
<b>Body</b>	PP Engineering Plastic Front and Rear
<b>Canopy</b>	Glass Fibre Reinforced Plastic
<b>Floor Mat</b>	Anti-Skid Rubber
<b>Chassis</b>	E Coated Steel Alloy
<b>Suspension</b>	Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
<b>Rims &amp; Tyres</b>	10" Aluminium Alloy Rims with Carlisle Tour Max 205/50-10 durable road tyres
<b>Lighting Package</b>	LED front headlight and taillight, Brake Lights plus signal lights
<b>Switches and Others Standard Accessories</b>	Horn, Battery Indicator, Charging Indicator, Direction Selector, Signal Stalk with horn button, Ignition Switch, 4 Beverage Holders, Rear and Side View Mirrors, Reverse Buzzer
<b>Weather Enclosure</b>	Black. Manual roll and Zip Design. Transparent Windows

# PROCAR ELITE HI LIFT

(AVAILABLE IN VARIOUS CONFIGURATIONS)



**AVAILABLE IN THESE COLOURS:**

Non-Metallic								
	Black	White	Grey	Green	Blue	Beige	Yellow	Red
Metallic								
	Metallic Prussian Blue	Metallic Forest Green	Metallic Lime Green	Metallic Electric Blue	Champagne	Bronze		
Customized		Contact your Procar Dealer						

\* Please contact dealer for more information on ProCar Elite buggies with hi lift suspension system.

## STANDARD FEATURES



- High Strength Aluminium / E Coated Steel Chassis
- Maintenance Free Batteries / Wet Cell Batteries
- Durable Road Tyres / Turf Tyres
- Built-in Charger / Portable Charger
- Regenerative Braking System
- Weather Enclosure
- Front Independent Mcpherson Strut with Coil Spring and Rear Coil Spring Suspension
- 10" and 12" Alloy Rims / 8" Steel Rims
- DC Motor / AC Motor
- LED Lighting Package

*Preventive Maintenance Program  
Extended Warranty Coverage*



# TESTIMONIALS

“

We are extremely happy with our decision to purchase our ProCar Elite electric buggy. It was great being able to choose the style and colour of the buggy to accommodate our needs. The generous storage features on the back of the 4 seater model are fantastic and make using the buggy around Sentosa extremely versatile.

The build quality and handling of the buggy make for a safe and fun experience.

People regularly comment on the appearance and handling of our buggy.

The service and aftercare have been the best customer service we have experienced in Singapore. The servicing is exceptionally thorough and nothing is too much trouble for the technicians who come out to maintain it for us. It's totally customer focused and fuss free. Highly recommend.

**Samantha Sewell**  
Resident, Sentosa Cove

”

“

The ProCar Elite buggy is robust and reliable. It helps my officers greatly in our daily operations. As our buggy came equipped with maintenance free batteries, we need not worry about the batteries running dry at all.

We have not had a single issue with our buggy since we purchased it some years back and my officers are able to fully concentrate on their duties, knowing that the buggy will function reliably every single day. We are very happy with our purchase as it had also enhanced our operational capabilities and at the same time, help boost the morale of my officers.

**Ben Ng**  
Managing Director, AcePro  
Security Consultancy Pte Ltd

”





# CONTACT US

## Singapore

**Agricultural Tractors Spares Pte Ltd**

Tel: (65) 6862 0128  
Email: ask@ats-grp.com  
Website: www.ats-grp.com  
Address: 134 Gul Circle, Singapore 629598

---

## Malaysia (Kuala Lumpur)

**Asia Turfquip Supplies (M) Sdn Bhd**

Tel: (60) 3-78463343  
Email: enquiry@atsmy.com  
Website: www.ats-grp.com  
Address: No. 13, Jalan SP 4/3,  
Taman Subang Perdana,  
40150 Shah Alam Selangor, Malaysia

---

## Malaysia (Johor Bahru)

**Asia Turfquip Supplies (M) Sdn Bhd**

Tel: (60) 7-3555046  
Email: enquiry@atsmy.com  
Website: www.ats-grp.com  
Address: 71 Jalan Seroja 47,  
Taman Johor Jaya 81100  
Johor Bahru, Malaysia

---

## Indonesia

**PT ATS Inti Sampoerna**

Tel: (62) 21-22860551  
Email: ask@ats-grp.com  
Website: www.ats-grp.com  
Address: PT ATS Inti Sampoerna  
Kawasan Green Sedayu Biz Park Unit GS 6 No. 96-98  
Jl Raya Cakung Cilincing KM 02 Jakarta Timur  
13910, Indonesia

**ProCar**





## YUTTHAPHONG WONGWAT

BUSINESS MANAGER

---

 (+84) 913 392 405

 2 Alley 14, Lane 104 Dao Tan  
Cong Vi Ward, Ba Dinh Distric

 yutthaphong2021@gmail.com  
siamvinagolf@gmail.com